

MAXIMIZE THE GENETIC POTENTIAL OF YOUR ANIMAL

ULTIMATE SHOW FEED



Star Milling Co.
FAMILY OF FINE FEEDS

P.O. Box 1987 · PERRIS, CALIFORNIA 92572

WWW.STARMILLING.COM

800-733-6455



Formulated for
Growing
and Finishing a
Show

LAMB

Medicated With Deccox

Textured Feed with Cane Molasses

- AMMONIUM CHLORIDE • BEET PULP • OATS
- CORN • ALFALFA • VITAMINS & MINERALS
- SOYBEAN MEAL • FISH MEAL
- SODIUM BICARBONATE

Feed at least 28 days during periods of exposure or when experience indicates that coccidiosis is likely to be a hazard.

FEEDING GUIDELINES

The Ultimate Show Lamb can be fed continuously as a sole ration. Ultimate Show Lamb may be supplemented with additional source of roughage if intake volume needs to be increased. Feed at a rate of .033 lbs of feed per 1 pound of body weight (or 3.3 lbs of feed per 100 lbs of bodyweight).

Divide daily feeding into two or more feedings, divided into equal amounts per feeding. Provide clean fresh water daily. Extra feed should not be allowed to accumulate in the feeder.

****DO NOT feed to lambs producing milk for food**

****DO NOT use in feeds containing Bentonite**

ACTIVE DRUG INGREDIENT

Decoquinatate (6.8 mg/lb)0015%

GUARANTEED ANALYSIS

Crude Protein.....not less than	18.0%
(This includes not more than 1.0% equivalent crude protein from non-protein nitrogen)	
Crude Fat.....not less than	5.5%
Crude Fiber	not more than 12.0%
Ash	not more than 8.0%

INGREDIENTS: Crimped Oats, Suncured Alfalfa Meal, Dehulled Solvent Extracted Soybean Meal, Steamed Rolled Corn, Wheat Millrun, Cane Molasses, Beet Pulp Shreds, Hydrolyzed Vegetable Oils and Animal Fats, Fish Meal, Calcium Carbonate, Salt (Sodium Chloride), Ammonium Chloride, Sodium Bicarbonate, Phosphoric Acid, Rice Millfeed, Mono-DiCalcium Phosphate, Propionic Acid, Mineral Oil, Vitamin A Supplement, Vitamin D₃ Supplement, DL-Alpha Tocopherol Acetate, Manganous Oxide, Zinc Sulfate, Ferrous Sulfate, Magnesium Sulfate, Potassium Sulfate, Ethylenediamine Dihydriodide, Cobalt Sulfate, Sodium Selenite (Selenium).



ULTIMATE PIG PRE-STARTER

Medicated With Carbadox

Crumble

- CORN • WHEY • SOYBEAN MEAL • FISH MEAL
- PORCINE BLOODMEAL—HIGH LYSINE LEVEL

This feed is formulated for the purpose of feeding growing pigs and mature reproducing boars and sows.

For control of swine dysentery (vibriotic dysentery, bloody scours or hemorrhagic dysentery); control of bacterial swine enteritis (salmonellosis or necrotic enteritis caused by Salmonella choleraesuis); increase rate of weight gain and improve feed efficiency.

FEEDING GUIDELINES

Supply this ration free choice to swine.
Provide clean fresh water at all times.

****DO NOT use in feeds containing Bentonite**

ACTIVE DRUG INGREDIENT

Carbadox 50 g/ton

WARNING— Do not feed to swine weighing more than 75 lb. body weight. Do not feed to swine within 10 weeks of slaughter. Do not use in complete feeds containing less than 15 % crude protein.

GUARANTEED ANALYSIS

Crude protein	not less than	21.49 pct
Crude fat.....	not less than	6.4 pct
Crude fiber	not more than	2.0 pct
Ash	not more than	9.3 pct
Calcium (ca)	not less than	0.87 pct
Calcium (ca)	not more than	1.06 pct
Phosphorus (p) ..	not less than	0.69 pct
Sodium.....	not more than08 pct

INGREDIENTS: Ground Yellow Corn, Whole Dried Whey, Soybean Meal, Anchovy Fish Meal, Porcine Plasma- Spray Dried, Hydrolyzed Vegetable and Animal Fat, Ground Barley, Feather Meal, Calcium Carbonate, Salt (Sodium Chloride), Zinc Oxide, Mono-Dicalcium Phosphate, Pro Bind (Pellet Binder), L-Lysine Hydrochloride, Methionine Hydroxy Analog, Rice Millfeed, Iron Sulfate, Zinc Sulfate, Vitamin E (Alpha Tocopherol), Manganous Oxide, Copper Sulfate, Vitamin D3 Supplement, Mineral Oil, Niacin Supplement, DL-Calcium Pantothenic Acid, Sodium Selenite (Selenium), Vitamin K (Menadione Sodium Bisulfite Complex), Riboflavin Supplement, Vitamin A Acetate, Organic Iodine, Vitamin B12 Supplement, Pyridoxine Hydrochloride.



Improve Feed Efficiency
 Increase Carcass Leanness for
 Show

SWINE

Grower with Tylan

Pelleted Feed

- EGG • FISH MEAL • WHEY • SOYBEAN MEAL
- CORN & OATS • CARNICHROME® 10
- PORCINE BLOODMEAL—HIGH LYSINE LEVEL

Medicated with Tylosin

This feed is designed for the purpose of feeding growing swine. For increased rate of weight gain and improved efficiency - grower feeds.

FEEDING GUIDELINES

The Ultimate Show Swine Grower is designed to be a free choice feed for growing swine from 50 pounds to 200 pounds. Once your project animal reaches 200 pounds, gradually transition them onto Ultimate Show Hog Finisher. Ultimate Show Hog Finisher is designed to be fed to hogs weighing 200 to 240 pounds. Provide fresh, clean water at all times.

LIMITATIONS FOR USE: Feed Continuously

ACTIVE DRUG INGREDIENT


Tylosin..... 40 g/ton

GUARANTEED ANALYSIS

Crude Protein.....not less than 20.0%
 Lysinenot less than1.3%
 Crude Fat.....not less than 4.9%
 Crude Fibernot more than 3.0%
 Ashnot more than 6.0%
 L-Carnatinenot less than 50ppm
 Chromium from Chromium Tripicolinate
 Minimum 200 PPM

INGREDIENTS: Ground Corn, Dehulled Solvent Extracted Soybean Meal, Ground Oats, Whole Dried Whey, Fish Meal, Whole Dried Egg, Hydrolyzed Vegetable Fats and Oils, Blood Meal - Spray Dried, Mono-Dicalcium Phosphate, Calcium Carbonate, Salt (Sodium Chloride), L-Lysine Monohydrochloride, Rice Millfeed, Iron Sulfate 31% (Ferrous Sulfate), Tylosin, Methionine Hydroxy Analog, Zinc Sulfate, dl-Alpha Tocopherol Acetate, Manganous Oxide, Copper Sulfate, L-Carnitine, Mineral Oil, Vitamin D3 Supplement, Niacin Supplement, Diatomaceous Earth, Calcium Pantothenate, Sodium Selenite, Menadione Sodium Bisulfite Complex, Amorphous Silica, Riboflavin Supplement, Vitamin A Supplement, Organic Iodine (EDDI-42), Vitamin B12 Supplement, Pyridoxine Hydrochloride, Chromium Tripicolinate.

Improve Feed Efficiency
Increase Carcass
Leanness for Show



SWINE

Finisher

Pelleted Feed

- EGG • FISH MEAL • WHEY • SOYBEAN MEAL
- CORN & OATS • CARNICHROME® 10
- PORCINE BLOODMEAL—HIGH LYSINE LEVEL

FEEDING GUIDELINES

Ultimate Show Swine Finisher is to be fed as the sole ration to pigs from 200 pounds to desired market weight.

The Ultimate Show Swine Finisher is formulated to be continuously fed to increase gain, muscle development, and improve feed efficiency.

Manage feed intake as needed to reach desired market weight. Provide fresh, clean water at all times.

GUARANTEED ANALYSIS

Crude Protein.....not less than	17.0%
Lysine	not less than1.1%
Crude Fat.....not less than	4.5%
Crude Fiber	not more than 3.0%
Ash	not more than 6.0%
L-Carnatine	not less than 50ppm
Chromium from Chromium Tripicolinate	
Minimum	200 PPM

INGREDIENTS: Ground Corn, Dehulled Solvent Extracted Soybean Meal, Ground Oats, Whole Dried Egg, Spray Dried Blood Meal, Fish Meal, Whole Dried Whey, Hydrolyzed Vegetable Oil, Calcium Carbonate, Mono-Dicalcium Phosphate, Salt (Sodium Chloride), L-Lysine Hydrochloride, Rice Millfeed, Natural and Artificial Flavors, Iron Sulfate, Methionine Hydroxy Analog, Zinc Sulfate, Vit E (Alpha Tocopherol), Manganous Oxide, Copper Sulfate, L-Carnitine, Mineral Oil, Vitamin D₃ Supplement, Niacin Supplement, Diatomaceous Earth, DL-Calcium Pantothenate Acid, Sodium Selenite, Vit K (Menadione Sodium Bisulfite Complex), Amorphous Silica, Riboflavin Supplement, Vitamin B₁₂ Supplement, Pyridoxine Hydrochloride, Chromium Tripicolinate.



Improve Feed Efficiency
 Increase Carcass
 Leanness for Show

SWINE

Finisher with Paylean

Pelleted Feed

- EGG • FISH MEAL • WHEY • SOYBEAN MEAL
- CORN & OATS • CARNICHROME® 10
- PORCINE BLOODMEAL—HIGH LYSINE LEVEL

Medicated with Paylean

FEEDING GUIDELINES

The Ultimate Show Swine Finisher with Paylean is to be fed to swine for the improvement in feed efficiency and increased carcass leanness. The Ultimate Show Swine Finisher with Paylean is to be fed as the sole ration. The Ultimate Show Swine Finisher with Paylean is for swine weighing from 150 to 240 lb. bodyweight.

CAUTION: Pigs fed Ractopamine HCL (Paylean) are at an increased risk for exhibiting the downer pig syndrome (also referred to as "slows," "subs," or "suspects"). Pig handling methods to reduce the incidence of downer pigs should be thoroughly evaluated prior to initiating use of Ractopamine HCL (Paylean). Not for the use in breeding swine.

LIMITATIONS FOR USE: Feed continuously as sole ration.

Ractopamine HCL (Paylean) should be fed in a complete swine ration containing at least 16% crude protein from 150 lbs to 240 lbs bodyweight, and for not more than 21 days.

ACTIVE DRUG INGREDIENT

Ractopamine HCL (Paylean)..... 9 g/ton

GUARANTEED ANALYSIS

Crude Protein.....not less than	18.0%
Lysine	not less than1.2%
Crude Fat.....not less than	4.5%
Crude Fiber	not more than 3.0%
Ash	not more than 6.0%
L-Carnatine	not less than 50ppm
Chromium from Chromium Tripicolinate	
Minimum	200 PPM

INGREDIENTS: Ground Corn, Dehulled Solvent Extracted Soybean Meal, Ground Oats, Whole Dried Egg, Fish Meal, Whole Dried Whey, Spray Dried Blood Meal, Hydrolyzed Vegetable Oil, Calcium Carbonate, Mono-Dicalcium Phosphate, Salt (Sodium Chloride), Ractopamine HCL, L-Lysine Hydrochloride, Rice Millfeed, Natural and Artificial Flavors, Iron Sulfate, Methionine Hydroxy Analog, Zinc Sulfate, Vit E (Alpha Tocopherol), Manganous Oxide, Copper Sulfate, L-Carnitine, Mineral Oil, Vitamin D3 Supplement, Niacin Supplement, Diatomaceous Earth, DL-Calcium Pantothenate Acid, Sodium Selenite, Vit K (Menadione Sodium Bisulfite Complex), Amorphous Silica, Riboflavin Supplement, Vit A Acetate, Organic Iodine, Vitamin B12 Supplement, Pyridoxine Hydrochloride, Chromium Tripicolinate.

Formulated for Growing
Beef & Mature
Reproducing Beef Cattle

BEEF

Grower

Textured Feed with Cane Molasses

- COTTONSEED HULLS • SOYBEAN MEAL
- DIAMOND V YEAST TO AID DIGESTION
- PORCINE BLOOD MEAL • CORN & OATS

FEEDING GUIDELINES

Feed the Ultimate Show Beef Grower in combination with 3-5 lbs of grain hay or grass hay daily. Divide the daily feeding into two feedings, one-half in the morning and one-half in the evening. Provide fresh clean water at all times.

When starting calves on a grower ration feed 5 to 7 pounds per day. Gradually increase feed approximately one-half pound per day until calves reach the necessary required daily intake for the weight of the animal. Adjust the suggested feeding level when needed to reach the optimum performance and body condition you desire for your animal. Grower rations should be fed at approximately 2 percent to 2.5 percent of the animal's bodyweight. Calves should be switched over to a finishing ration around 800 to 850 pounds.

Weight of animal	Amount of Beef Grower per day
400 pounds	8 - 10 pounds
600 pounds	12 - 15 pounds
800 pounds	16 - 20 pounds

GUARANTEED ANALYSIS

Crude Protein.....not less than	14.0%
Crude Fat.....not less than	4.0%
Crude Fiber.....not more than	8.5%
Ash.....not more than	7.0%

INGREDIENTS: Steamed Rolled Corn, Steamed Crimped Oats, Dehulled Solvent Extracted Soybean Meal, Cane Molasses, Cottonseed Hulls, Wheat Millrun, Hydrolyzed Vegetable and Animal Fats and Oils, Calcium Carbonate, Sodium Bicarbonate, Salt (Sodium Chloride), Yeast Culture, Blood Meal-Spray Dried, Phosphoric Acid, Mono-Dicalcium Phosphate, Propionic Acid, Ground Almond Shell (Carrier), Manganese Sulfate 32%, Zinc Sulfate, Ferrous Sulfate, Vitamin A Supplement, Copper Sulfate, dl-Alpha Tocopherol Acetate, Vitamin D3 Supplement, Mineral Oil, Ethylenediamine Dihydrochloride, Cobalt Sulfate, Sodium Selenite.



Readily Digestible
High Quality Protein

BEEF

Finisher

- COTTONSEED HULLS • SOYBEAN MEAL
- CORN, OATS & BARLEY
- DIAMOND V YEAST TO AID DIGESTION
- PORCINE BLOOD MEAL • SODIUM BICARBONATE

FEEDING GUIDELINES

Feed the Ultimate Show Beef Finisher in combination with 3-5 lbs. of grain hay or grass hay daily. Divide the daily feeding into two feedings, one-half in the morning and one-half in the evening. Provide fresh clean water at all times. When switching onto a finisher ration, do so gradually to prevent animal from going off feed or to avoid any digestive upsets. Mix grower and finisher 50/50 for four to five days, and then decrease amount of grower approximately one-half to three-fourths of a pound per day until calf is solely on the finisher ration. Finisher should be fed at approximately 2.5% - 3.0% of animal's body weight.

Weight of animal

800 pounds

1000 pounds

1200 pounds

Amount of feed per day

20 - 24 pounds

25 - 30 pounds

30 -36 pounds

GUARANTEED ANALYSIS

Crude Protein.....not less than	12.0%
Crude Fat.....not less than	5.0%
Crude Fiber.....not more than	7.0%
Ash.....not more than	6.0%

INGREDIENTS: Steamed Rolled Corn, Dehulled Solvent Extracted Soybean Meal, Cane Molasses, Cottonseed Hulls, Wheat Millrun, Hydrolyzed Vegetable and Animal Fats and Oils, Steamed Crimped Oats, Steamed Rolled Barley, Calcium Carbonate, Salt (Sodium Chloride), Yeast Culture, Sodium Bicarbonate, Blood Meal - Spray Dried, Phosphoric Acid, Mono-Dicalcium Phosphate, Propionic Acid, Ground Almond Shell (Carrier), Manganous Sulfate 32%, Zinc Sulfate, Ferrous Sulfate, Vitamin A Supplement, Copper Sulfate, dl-Alpha Tocopherol Acetate, Vitamin D3 Supplement, Mineral Oil, Ethylenediamine Dihydriodide, Cobalt Sulfate, Sodium Selenite.



Formulated for
Growing and Finishing
a Show

GOAT

Medicated With Deccox

Pelleted Feed

- COTTONSEED HULLS • OATS • CORN • ALFALFA
- VITAMINS & MINERALS
- AMMONIUM CHLORIDE • FISH MEAL

This feed is designed to be fed to growing and finishing goats. Feed at least 28 days during periods of exposure or when experience indicates that coccidiosis is likely to be a hazard.

FEEDING GUIDELINES

The Ultimate Show Goat can be fed continuously as a sole ration. Ultimate Show Goat may be supplemented with additional source of roughage if intake volume needs to be increased.

Feeding rate should be at a rate of .033 lbs of feed per 1 pound of body weight (or 3.3 lbs of feed per 100 lbs of bodyweight). Divide daily feeding into two or more feedings, divided into equal amounts per feeding.

Provide clean fresh water daily. Extra feed should not be allowed to accumulate in the feeder.

DO NOT FEED THIS PRODUCT TO SHEEP DUE TO ADDED COPPER SOURCES.

****DO NOT feed to goats producing milk for food**

****DO NOT use in feeds containing Bentonite**

ACTIVE DRUG INGREDIENT

Decoquinatate (6.8 mg/lb)0015%

GUARANTEED ANALYSIS

Crude Protein.....not less than	17.0%
(This includes not more than 1.0% equivalent crude protein from non-protein nitrogen)	
Crude Fat.....not less than	3.0%
Crude Fiber	not more than 16.0%
Ash	not more than 8.5%

INGREDIENTS: Ground Oats, Suncured Alfalfa Meal, Ground Yellow Corn, Soybean Meal, Cottonseed Hulls, Dist. Grains, Fish Meal, Cane Molasses, Calcium Carbonate, Ammonium Chloride, Salt (Sodium Chloride), Soybean Oil, Sodium Bicarbonate, Mono-DiCalcium Phosphate, Rice Millfeed, Copper Sulfate, Mineral Oil, Vitamin A Acetate, Vitamin D3 Supplement, Vitamin E (Alpha Tocopherol), Manganous Oxide, Zinc Sulfate, Ferrous Sulfate, Magnesium Sulfate, Potassium Sulfate, Ethylenediamine Dihydriodide, Cobalt Sulfate, Sodium Selenite (Selenium).

FEEDING AND MAINTENANCE GUIDELINES

The primary goal in livestock management is to have a herd that is healthy and can perform at the desired level of activity. Following the guidelines below will assist you in achieving this goal:

- If you are feeding hay as a supplement to Ultimate Show Feed analyze it carefully. Look for hay that has a clean odor, fine stems and plenty of leaves with a minimal amount of seed heads. Do not feed hay that is damp and moldy.
- Feed equal amounts twice daily at approximately the same time each day.
- Make feed changes gradually over a 5 to 7 day period.
- Feed by weight not volume.
- Provide clean, fresh water at all times.
- These are complete diets. All necessary vitamins and minerals have been included.
- Observe animal as they eat. Sudden changes in appetite can mean a potential problem. Avoid overfeeding.
- Set up a program of regular de-worming.

IF YOU HAVE ANY QUESTIONS, PLEASE CALL

800-733-6455

E-MAIL: INFO@STARMILLING.COM